

**To:** Grossman, Lenny[Grossman.Lenny@epa.gov]  
**From:** Maddaloni, Mark  
**Sent:** Mon 5/20/2013 6:11:14 PM  
**Subject:** RE: Agremax

No problem

**From:** Grossman, Lenny  
**Sent:** Tuesday, May 14, 2013 2:34 PM  
**To:** Maddaloni, Mark  
**Subject:** FW: Agremax

Hi Mark ,

Would you mind reviewing this ? I'd like the opportunity to discuss it with you in a week or two.

Thanks,

LG

**From:** Helms, Greg  
**Sent:** Monday, May 13, 2013 4:57 PM  
**To:** Grossman, Lenny  
**Subject:** Agremax

Lenny-

# Ex. 5 - Deliberative

---

Gregory Helms  
U.S. EPA  
Acting Chief, Waste Characterization Branch  
Office of Solid Waste and Emergency Response  
phone: 703-308-8845

fax: 703-308-0514  
[helms.greg@epa.gov](mailto:helms.greg@epa.gov)

Address for regular/USPS mail:  
1200 Pennsylvania Ave. NW  
Mail Code 5304P  
Washington, DC 20460

Address for overnight/hand delivery mail:  
Two Potomac Yard  
2733 S. Crystal Dr.  
5th Floor; N-5611  
Arlington, VA 22202

See OSWER's new LEAF leach test methods at:

[http://epa.gov/wastes/hazard/testmethods/sw846/new\\_meth.htm](http://epa.gov/wastes/hazard/testmethods/sw846/new_meth.htm)

For an overview of hazardous waste regulation see the RCRA Orientation Manual, at:  
[www.epa.gov/epawaste/inforesources/pubs/orientat/](http://www.epa.gov/epawaste/inforesources/pubs/orientat/)